
DIRECT-TO-GARMENT PRINTER SURECOLOR[™] SC-F2130



ENABLING CREATIVITY THROUGH OUTSTANDING PERFORMANCE.

EPSON



MAX. INK CAPACITY PER COLOUR

600ML





25 mm Thick





1440 dpi

DG

ULTRACHRO



Creator

MAXIMUM PLATEN SIZE

16" x 20"





Epson Maintenance Genuine Inks Warranty

PRECISIONCORE TFP PRINTHEAD

SINGLE



IT'S IN THE DETAILS. MAXIMUM PRINT SPEED 9s* 15s*' HIGH SPEED COLOUR MODE (CMYK DUAL) COLOUR INK MODE (CMYK) WHITE INK MODE (CMYK+W 52s*

With Epson UltraChrome[™] ink, the SureColor SC-F2130 delivers consistent, vibrant prints.

Innovation in Printing

Engineered with the latest Epson technology to deliver speed and unbeatable image quality.

Trusted Reliability

PrecisionCore printhead and an automatic maintenance design enable fast printing with minimal downtime.

o 🔚 🔞 🍈

VITOV

Exceptional Productivity

Remarkable printing speeds enable a t-shirt to be printed in merely 9 seconds*.



*Refers to head firing time when using dual colour mode, image size is 10" x 8" landscape, applicable for white t-shirts only **Refers to head firing time, image size is 10" x 8" landscape

The SureColor SC-F2130 is the printer businesses need to produce quality prints directly onto garments. The SC-F2130 utilises high-density ink to ensure vibrant and highly accurate colour transfer of designs onto white and even coloured fabrics.



Innovation In Printing

Epson develops innovations such as our PrecisionCore technology and UltraChrome Direct-To-Garment ink technology into our printer to deliver precision of the highest quality.

PrecisionCore Technology




Print graphics up to 1,440 x 720dpi for amazing quality that truly complements your design. The technology behind PrecisionCore encompasses a precise dot control to create images with outstanding clarity and sharpness on the garments.

Epson UltraChrome Direct-To-Garment Technology



Print directly onto fabric products with Epson UltraChrome DG ink to achieve accurate and bright colours with an outstanding finish. The ink has been specially

formulated with high-dispersion ink technology that helps to reduce white ink sedimentation to give it a very natural white colour. The high-density ink allows prints to be of an unmatched stunning quality, even on coloured garments. The water-based pigment is durable and washable as prints achieved scores of 4.0 or higher on industry standard AATCC wash test and is certified to be safe for adults and children, including babies, in accordance with ECO PASSPORT by OEKO-TEX[®].





Textile chemicals. Tested and verified. www.oeko-tex.com/ecopassport

Easy Garment Setting

The SC-F2130 is easy to operate with minimal training required for the user. Fabric is easily loaded onto the platen and the height adjustment allows easy garment loading and adjustments according to the different needs.

Adjustment With Frame Set



Press and smoothen out garment and attach the platen frame.



adjustment lever.

Adjust the platen height using the height



be printed on.

Adjustment With New Platen Grip Pad



Press and smoothen out garment.



Adjust the platen height using the height adjustment.



be printed on.

Intuitive Garment Creator Software

With Epson's intuitive Garment Creator software, it is easy for users to use and navigate through the interface to design, edit and customise designs for production. The software allows users to save their predefined colour management and layout controls to deliver consistently great results.



Trusted Reliability


Commercial-grade Reliability

All components on the SC-F2130 are designed and built by Epson to ensure that the technology works cohesively to produce exceptional prints time and time again. The PrecisionCore print chip is ideal for printing with direct-to-garment ink chemistry and it is co-developed with the Epson UltraChrome DG ink technology to achieve extreme reliability.

Maximise Uptime and Productivity

The SC-F2130 is equipped with an advanced automated maintenance design that includes the use of a cleaning cartridge that will automatically clean the printhead cap to ensure that it is perpetually clean. Meanwhile, the white ink circulation system comes with an inline white ink filter to ensure better performance and reliability.

Ink Circulation System



the white ink inside the system.

Exceptional Productivity

Engineered to meet the needs of garment printing businesses, the SC-F2130 can print a t-shirt in just 9 seconds*, because of its PrecisionCore TFP printhead.

*Refers to head firing time when using dual colour mode, image size is 10" x 8" landscape, applicable for white t-shirts only



Partners In Perfection

SureColor F-series Dye-sublimation Textile Printers

Available in 44" and 64" models, the SureColor F-series are large format textile printers with exceptional reliability and high quality output up to 720 x 1,440 dpi for industrial-level commercial production houses.



SPECIFICATIONS SURECOLOR[™] SC-F2130



MODEL NUMBER	SC-F2130	
Printhead Type	Epson PrecisionCore TFP	
Print Speed (Default Setting)		
Colour Mode	High speed production (2 pass) - 15 sec	
	Production (4 pass) - 27 sec	
White + Colour Mode	High speed production (2 pass Colour + 4 pass White) - 52 sec	
	Production (4 pass Colour + 8 pass White) - 87 sec	
Maximum Resolution	Colour 1440 × 720 dpi, White 1440 × 1440 dpi	
Droplet Size	21 pl (Standard size)	
Ink		
Ink Type	UltraChrome DG ink	
Ink Cartridge Capacity	600 ml, 250 ml (C, M, Y, BK, WH)	
Media	100% cotton or blended materials with a minimum of 50% cotton	
Connectivity		
Rear	USB2.0, 100-BaseTX	
Front	USB memory slot (USB2.0)	
Power Supply	AC 100-240 V, 50/60 Hz	
Supported OS		
Garment Plugin	Windows® XP-32bit, Windows® 7-64bit, Mac OS 10.6 or higher	
Adobe® Plugin	Plugin available for Adobe Photoshop® and Illustrator®	
ě	Medium platen 356 x 406 mm standard	
Platen		
Warranty	1 year	
Inks and Consumables	0107705000	
UltraChrome DG Cyan (600ml)	C13T725200	
UltraChrome DG Magenta (600ml) UltraChrome DG Yellow (600ml)	C13T725300 C13T725400	<u> </u>
UltraChrome DG Black (600ml)		
UltraChrome DG White (600ml)	C13T725100 C13T725A00	
Single Pack Cleaning Cartridge	C13T726000	
Pre-treatment Liquid (20L)	C13T726100	
Maintenance Kit	C13T736200	
Head Cleaning Set	C13S092021	
Waste Ink Bottle	C13T724000	
Air Filter	C13S092021	
Large Platen Grip Pad	C13S210075	
Medium Platen Grip Pad	C13S210076	
Small Platen Grip Pad	C13S210077	
Options		
Large Platen 406 x 508mm	C12C933921	
Medium Platen 356 x 406mm	C12C933931	
Small Platen 254 x 305mm	C12C933941	
Extra Small Platen 178 x 203mm	C12C933951	
Medium Grooved Platen 356 x 406mm	C12C933961	
Sleeve Platen 102 x 102mm	C12C933971	
Pre-treatment Roller Set	C12C891201	
Replacement Rollers for Pre-treatment (3 Pieces)	C12C891211	
Replacement Rollers for Pre-treatment (3 Pieces)	C12C891221	

Dimensions & Weight

Weight: Approx. 82kg (180.78lbs)





1,425mm (56.1")

490mm (19.29")

985mm (38.78")



© 2018 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seliko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Information correct at time of printing Printed December 2018

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

EPSON

SOUTH Alok Singh 098405 03210, NORTH Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Millind 098209 74733.

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1, Murphy Road, Ulsoor, Bangalore - 560 008. Tel: 080 3051 5000 Fax: 080 3051 5005



Epson Helpline: For product info or service - 1800 425 0011 For Service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: Ifp@epsonindia.in



www.epson.co.in

Dealer's Stamp

LARGE FORMAT PRINTER SureColor[™] SC-T3130N





Defined by convenience, Epson's latest entry-level T-series CAD printer feature superior print speeds, all-pigment ink, wireless printing and more to help you focus on what truly matters and build the unthinkable.

Wireless Printing



SureColor ™ SC-T3130N



ENGINEERED FOR BUSINESS

Long-lasting, high-quality prints with Epson Ultrachrome XD2 all-pigment ink.

Anti-dust Printer Design

Maximum productivity with print speeds of up to 34 sec/A1 print. Print while you move with WiFi, WiFi Direct and AirPrint support.



34 Secs/A1 Print



1-year On-site Warranty

> Designed to support the Sustainable Development Goals (SDGs) set by the UN

Auto Cut-sheet and Roll

Loading

SPECIFICATIONS SureColor[™] SC-T3130N

Due du et Nicerele en		0. 704001	
Product Number	Diatan	SC-T3130N	
Printing Technology	Printhead	PrecisionCore TFP. Printhead	
	Nozzle Configuration	3200 nozzles (900 nozzles x 4 channels x 1 head)	
Print Quality	Maximum Resolution 2400 x 1200 dpi Minimum Ink droplet Volume 4.0 pl		
Print speed		34 Sec/A1 ; 106 A1/D per hour	
Margin (Roll paper)		Boll/Sheet Top, bottom, right, left : Min. 3 mm ¹	
Ink type			
Ink brand		Esson UltraChrome XD2 ink	
Colours		Cyan, Magenta, Yellow, Black	
Ink capacity		Black 80 ml, 50 ml; Cyan, Magenta, Yellow: 50 ml, 26 ml	
Ink case		Data to mil of m	
Printing	Line drawing	34 sec / page on A1 / D, 106 A1/D prints per hour	
	Color images	560 sqft / hour in fast mode	
	Line accuracy	+ / - 0.1%	
	Minimum Line width	0.2mm (0.0008 in)	
	Guaranteed minimum line width	0.07mm (0.0028 in)	
Media handling	Size	24-in printer: 210 to 610mm (8.3 to 24in) wide sheets, 279 to 610mm (11 to 24in) rolls	
	Thickness	Minimum 0.8mm / 11.5 mil	
	Weight	60 to 280 GSM (Roll/manual feed), 60-230GSM (input tray), automatic cutter	
Paper handling	Paper Path	Friction Feed	
	Maximum Roll Diameter/Weight	2-inch core. Max. 110 mm/5kg	
	Paper width (roll)	Roll: 279mm-610 mm, Cut-sheet (ASF): A4-A3 Cut sheet (50 sheets); 210mm-610mm Roll,	
	· · · · · · · · · · · · · · · · · · ·	Cut-sheet (50 sheets): 210 mm to 610 mm	
		width is 620 mm. But maximum width of Printing Area is 610 mm	
	Print Margins Sheet Media Mode	1: 3 mm (top), 3 mm (right), 3 mm (bottom), 3 mm (left)	
	Print Margins Roll Media Mode	1: 3 mm (top), 3 mm (right), 3 mm (bottom), 3 mm (left)	
Control panel		10.9-cm touch screen	
Interface		Super-Speed USB*, 100 BASE-TX /1000 BASE-T/IEEE802.11b/g/n, Wi Fi Direct	
Printer Language		ESC/P raster HP-GL/2, HP RTL	
Memory		1 GB	
Environmental			
characteristics	Temperature	Operating: 10°C to 35°C	
	· · · · · · · · · · · · · · · · · · ·	Storage: -20°C to 40°C	
	Humidity	Operating: 20 - 80% (no condensation)	
	Harriery	Storage: 5 - 85% (no condensation)	
Dimensions/weights	Dimensions (W x D x H)	Stowed: 970x696x913 mm (w/stand) , 970x505x230 mm (w/o stand)	
Birrioriorioritoritorigine		Printing: 970x982x913 mm(w/stand).970x982x230 mm(w/o stand)	
Electrical Characterisitcs	Weight	SC-T3130N (24* without stand): 27 Kg	
	Voltage	AC 100-240V 50/60Hz	
	Rated Current	144	
	Power Consumption	Operating: Approx. 28W	
	Tower consumption	Siene: Approx. 1.6W	
		Power off (Standby): Approx. 0.2 W	
		Twee on Galandy, Applica. Usz w "Interface is 1000BASE-T"	
Accoustic Noise Level	Sound Pressure Level <db(a)></db(a)>	Operating: Approx. 49 dB(A)	
Accoustic Noise Level	Souria Fressure Level < ab(A)>	Sleep: Approx. 32 dB(A)	
	Sound Power Level <b(a)></b(a)>	Operating: Approx. 7.5 dB(A)	
I tility aoftwara	Bundled in CD	Updatingpupuk	
Utility software	Bulluleu III CD	Printer driver, EpsonNet Setup, EpsonNet Print, EpsonNet Config	
	Web delivery	Epson Software Updater, LFP Print Plug-in for Office, MacSetup Navi	
	Web delivery	Windows Install Navi Firmware Updater, HDI Driver, CopyFactory, EpsonNet Setup Manager, Mac Install Navi	
Ontinne		Printer driver, EpsonNet Config, Epson Software Updater, Uninstaller, EPSON manuals Firmware Updater Linux Printer driver	
Options		SC-T5100 series (36"), Stand (36"), Roll Feed Spindle (36")	
Consumable		Auto Cutter Spare Blade, Maintenance Box	
Safety			
Environmental		WEEE, RoHS (EU, China, Korea, India), REACH, GreenPurchasing, GPN, Energy Star, Taiwan Green Mark, Eco Mark, Nordicswan, Erp Lot6	
System	System Requirement	Windows 10/8.1/8/7/Vista/XP - CPU: Core 2 Duo, 3.05GHz, Memory: More than 1GB. HDD: Free space more than 32GB.	
	D # 1#	Macintosh Mac OS X (10.6.8 or later) - CPU: Core 2 Duo 3.05 GHz. Memory: Memory more than 4GB. HDD: Free space more than 32GB.	
	Bundled Item	Printer, Printer stand ³ , Initial ink cartridge, AC power cable, Setup guide, Software CD-ROM, Maintenance box	
Warranty		1 year	

*Compatible with the USB 3.0 Specification.¹Differs based on applications/media. ² Approx. without ink charges.

© 2019 Epoch and PAL LLG. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information. Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android is a trademark of Google Inc.

Information correct at time of printing Printed September 2019

EPSON INDIA PVT. LTD.

Regional Offices:

EPSON

12th Floor, The Millenia, Tower A, No.1, Tel: 080-4566 5000 Fax: 080-4566 5005

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Murphy Road, Ulsoor, Bangalore - 560 008. Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Gopala Krishna 079751 85505, Devakumar 073309 11109 NORTH Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Milind 098209 74733, Pratik S Mhasawade 095619 73709.





Epson Helpline: For product info or service - 1800 425 0011 For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: Ifp@epsonindia.in

www.epson.co.in

)

LARGE FORMAT PRINTER SureColor[™] SC-T5130





Defined by convenience, Epson's latest entry-level T-series CAD printer feature superior print speeds, all-pigment ink, wireless printing and more to help you focus on what truly matters and build the unthinkable.



31 Secs/A1 Print





Anti-dust Printer Design







Wireless Printing



Warranty

Auto Cut-sheet and Roll Loading

SureColor ™ SC-T5130



91 cm

(36)

ENGINEERED FOR BUSINESS

Long-lasting, high-quality prints with Epson Ultrachrome XD2 all-pigment ink. Maximum productivity with print speeds of up to 31 sec/A1 print. Print while you move with WiFi, WiFi Direct and AirPrint support.





Designed to support the Sustainable Development Goals (SDGs) set by the UN

SPECIFICATIONS SureColor[™] SC-T5130

Product Number		SC-T5130
Printing Technology	Printhead	PrecisionCore TFP Printhead
0 00	Nozzle Configuration	3200 nozzles (800 nozzles x 4 channels x 1 head)
Print Quality	Maximum Resolution	2400 x 1200 dpi
This doally	Minimum Ink droplet Volume	4.0 pl
Print speed	CAD A1	31 secs
Margin (Roll paper)	ORD AT	Rol/Sheet Top, bottom, right, left : Min. 3 mm ¹
Ink type		All-pigment ink
Ink brand		Epson UltraChrome XD2 ink
Colours		Cyan, Magenta, Yellow, Black
Ink capacity		Black: 80 ml, 50 ml; Cyan, Magenta, Yellow: 50 ml, 26 ml
Ink case		Ink cartridge
Printing	Line drawing	31 sec / page on A1 / D, 106 A1/D prints per hour
	Color images	560 sqft / hour in fast mode
	Line accuracy	+ / - 0.1%
	Minimum Line width	0.2mm (0.0008 in)
	Guaranteed minimum line width	0.07mm (0.0028 in)
Media handling	Size	36-in printer: 210 to 914mm (8.3 to 36 in) wide sheets, 279 to 914mm (11 to 36 in) rolls
	Thickness	Minimum 0.8mm / 11.5 mil
	Weight	60 to 280 GSM (Roll/manual feed). 60-230GSM (input tray), automatic cutter
Paper handling	Paper Path	Friction Feed
i aper nariuling	Maximum Roll Diameter/Weight	
		2-inclicere, wax. The minusery Roll: 279 mm to 914 mm, Cut-sheet (ASF): A4 to A3,
	Paper width (roll)	
		Cut-sheet (50 sheets): 210 mm to 914 mm
		1: 3 mm (top), 3 mm (right), 3 mm (bottom), 3 mm (left)
	Print Margins Roll Media Mode	1: 3 mm (top), 3 mm (right), 3 mm (bottom), 3 mm (left)
Control panel		10.9-cm touch screen
Interface		Super-Speed USB*, 100 BASE-TX /1000 BASE-T/IEEE802.11b/g/n, Wi Fi Direct
Printer Language		ESC/P raster HP-GL/2, HP RTL
Memory		1 GB
Environmental		
characteristics	Temperature	Operating: 10°C to 35°C
		Storage: -20°C to 40°C
	Humidity	Operating: 20 - 80% (no condensation)
		Storage: 5 - 85% (no condensation)
Dimensions/weights	Dimensions (W x D x H)	Stowed: 1,268 x 616 x 913 mm (w/ stand), 1,268 x 505 x 230 mm (w/o stand)
Simonolonia Wolgina	Bintenbiene (11 / B / H)	Printing: 1,268 x 811 x 913 mm (w stand), 1,268 x 811 x 230 mm (w/o stand)
Electrical Characterisitcs	Weight	SC-T5100N (36° without Stand): 46 kg ²
Electrical onaracteristics	Voltage	AC 100-240V 50/60Hz
	Rated Current	14A
	Power Consumption	Operating: Approx. 28W
	Power Consumption	
		"Sleep : Approx. 1.6W
		Power off (Standby): Approx. 0.2 W
		*Interface is 1000BASE-T"
Accoustic Noise Level	Sound Pressure Level <db(a)></db(a)>	Operating: Approx. 49 dB(A)
		Sleep: Approx. 32 dB(A)
	Sound Power Level <b(a)></b(a)>	Operating: Approx. 7.5 dB(A)
Utility software	Bundled in CD	Windows Install Navi
		Printer driver, EpsonNet Setup, EpsonNet Print, EpsonNet Config
		Epson Software Updater, LFP Print Plug-in for Office, MacSetup Navi
	Web delivery	Windows Install Navi Firmware Updater, HDI Driver, CopyFactory, EpsonNet Setup Manager, Mac Install Navi
	,	Printer driver, EpsonNet Config, Epson Software Updater, Uninstaller, EPSON manuals Firmware Updater Linux Printer driver
Options		SC-T5100 series (36"), Stard (36"), Roll Feed Spindle (36")
Consumable		Auto Cutter Spare Blade, Maintenance Box
		Auto curter Spare Blade, Maintenance Box
Safety		
Environmental		WEEE, RoHS (EU, China, Korea, India), REACH, GreenPurchasing, GPN, Energy Star, Taivana Green Mark, Eco Mark, Nordicswan, Erp Lot6
System	System Requirement	Windows 10/8.1/8/7/Vista/XP - CPU: Core 2 Duo, 3.05GHz. Memory: More than 1GB. HDD: Free space more than 32GB.
		Macintosh Mac OS X (10.6.8 or later) - CPU: Core 2 Duo 3.05 GHz. Memory: Memory more than 4GB. HDD: Free space more than 32GB.
	Bundled Item	Printer, Printer stand ³ , Initial ink cartridge, AC power cable, Setup guide, Software CD-ROM, Maintenance box
Warranty		1 year

*Compatible with the USB 3.0 Specification.1Differs based on applications/media.2 Approx. without ink charges.

02019 Epson India PM. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other product names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information. Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android is a trademark of Google Inc.

Information correct at time of printing Printed September 2019

EPSON INDIA PVT. LTD.

Regional Offices:

EPSON

12th Floor, The Millenia, Tower A, No.1, Tel: 080-4566 5000 Fax: 080-4566 5005

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200, Murphy Road, Ulsoor, Bangalore - 560 008. Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05, Hyderabad - 4857 0032, Jaipur - 78699 11699

CONTACT EPSON TODAY! EMAIL: vasu@eid.epson.co.in

SOUTH Alok Singh 098405 03210, Gopala Krishna 079751 85505, Devakumar 073309 11109 NORTH Akhtar Imam 099101 08780, Ashutosh Kumar 098153 94550, Sudhir Kumar 093898 35156 EAST Sourov Kumar 098746 72616 WEST Milind 098209 74733, Pratik S Mhasawade 095619 73709.





Epson Helpline: For product info or service - 1800 425 0011 For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat) Email: Ifp@epsonindia.in

www.epson.co.in

Dealer's Stamp	